

# Ryan White Program Co-Occurring Conditions Fiscal Year 2025

(3/1/25-2/28/26)

July 9, 2026

Presentation created by Behavioral Science Research Corp.





# Disclaimers

- ▶ Based on data from Groupware Technology's Provide Enterprise-Miami database.
- ▶ Note: Unduplicated client counts are generated using Ryan White Program billed service utilization data. Thus, these client counts and service costs may differ from those of other reports that are generated using differing methodologies.


# Definition of Terms

|                          |                                                                                                                                                                                                                                                        |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <136% FPL                | Ryan White Program (RWP) clients with an income at or below 136% of the federal poverty level (FPL).                                                                                                                                                   |
| AIDS Dx                  | RWP clients with an AIDS diagnosis at any point in time.                                                                                                                                                                                               |
| No Health Insurance      | RWP clients with no other forms of health insurance, including Medicare, Medicaid, VA benefits, private health insurance (including ACA), or employer-paid insurance                                                                                   |
| Mental Illness           | RWP clients who received mental health counseling (through MHS or OAHS) and/or psychiatric services through OAHS in the designated fiscal year.                                                                                                        |
| Substance Use Disorder   | RWP clients with self-reported drug use in the past 12 months, currently report using injection drugs, have received RWP substance use disorder treatment in the designated fiscal year, or who attend AA/NA meetings.                                 |
| Hepatitis B or C         | RWP clients who have had a positive Hepatitis B or Hepatitis C lab test result within the last three (3) fiscal years.                                                                                                                                 |
| STI                      | RWP clients who had a positive lab test result for either Syphilis, Gonorrhea, or Chlamydia during the designated fiscal year.                                                                                                                         |
| Homeless/Unstably Housed | RWP clients who reported having non-permanent housing (homeless, transient, or transition) and/or answered the question “With whom are you living?” with either “I am homeless” or “I live in a group home/shelter” during the designated fiscal year. |
| WoCA                     | Women of Child-Bearing Age—RWP female clients between the ages of 15 and 44.                                                                                                                                                                           |
| VL                       | Viral Load                                                                                                                                                                                                                                             |
| COC                      | Co-Occurring Conditions                                                                                                                                                                                                                                |
| ACA                      | Affordable Care Act                                                                                                                                                                                                                                    |

# Group Parameters

- The are seven (6) Special Need Groups that the Miami-Dade County RWP looks at:
  - Substance Users
  - Black/African-American (BAA) males
  - Black/African-American (BAA) females
  - Women of Childbearing Age (WoCA)
  - Haitian males and females
  - Latino males
- The are eight (8) co-occurring conditions (COC) of interest to the Miami Dade County RWP:
  - Poverty (<136% of FPL)
  - No other forms of health insurance/coverage
  - AIDS diagnosis
  - Positive test for an STI (chlamydia, gonorrhea, and/or syphilis)
  - Positive test for Hepatitis B or C within past three years
  - Substance use
  - Mental illness
  - Being homeless or unstably housed.


# Total Clients by Co-Occurring Condition, FY 2025



# Treatment Costs by Co-Occurring Conditions

| Co-Occurring Condition | FY 2025 RWP Clients w/<br>Co-Occurring Condition |                 | Total Tx Cost<br>(from PE Billed Service Detail Data) | Avg. Tx Cost per Client |
|------------------------|--------------------------------------------------|-----------------|-------------------------------------------------------|-------------------------|
|                        | # of RW clients with COC                         | % of RW clients |                                                       |                         |
| All RWP Clients        | 9,257                                            | 100%            | \$25,406,724                                          | \$2,745                 |
| <136% FPL              | 4,750                                            | 51%             | \$14,909,750                                          | \$3,139                 |
| No Health Ins.         | 3,642                                            | 39%             | \$12,843,344                                          | \$3,526                 |
| STI                    | 2,390                                            | 26%             | \$8,045,773                                           | \$3,366                 |
| AIDS diagnosis         | 2,212                                            | 24%             | \$6,140,904                                           | \$2,776                 |
| Homeless/UH            | 649                                              | 7%              | \$2,827,615                                           | \$4,357                 |
| Substance Use          | 611                                              | 7%              | \$2,686,486                                           | \$4,397                 |
| Hepatitis B or C       | 533                                              | 6%              | \$1,720,802                                           | \$3,229                 |
| Mental Illness         | 399                                              | 4%              | \$2,186,976                                           | \$5,481                 |

# VL Suppression % by Co-Occurring Condition, FY 2025



# Incidence of Co-Occurring Conditions among Special Need Populations

| SPECIAL NEEDS GROUPS | Total N       | <136% FPL | No Health Ins. | Any AIDS Dx | STI | Hep B or C | Subs. Use | Mental Illness | Homeless/ Unstably Housed | VL Supp % of Special Needs Groups |
|----------------------|---------------|-----------|----------------|-------------|-----|------------|-----------|----------------|---------------------------|-----------------------------------|
| Total RWP Clients    | 9,257<br>100% |           |                |             |     |            |           |                |                           | 88%                               |
| Latino Males         | 5,476<br>59%  |           |                |             |     |            |           |                |                           | 90%                               |
| Black Males          | 1,173<br>13%  |           |                |             |     |            |           |                |                           | 84%                               |
| Black Females        | 552<br>6%     |           |                |             |     |            |           |                |                           | 82%                               |
| Haitians             | 897<br>10%    |           |                |             |     |            |           |                |                           | 87%                               |
| WoCA, Age 15-44      | 508<br>5%     |           |                |             |     |            |           |                |                           | 81%                               |
| Substance Users      | 611<br>7%     |           |                |             |     |            |           |                |                           | 88%                               |
| VL Supp % of Clients | 88%           | 85%       | 85%            | 87%         | 95% | 90%        | 88%       | 92%            | 84%                       |                                   |

# Incidence of Co-Occurring Conditions among Special Need Populations

| SPECIAL NEEDS GROUPS | Total N       | <136% FPL    | No Health Ins. | Any AIDS Dx | STI | Hep B or C | Subs. Use | Mental Illness | Homeless/ Unstably Housed | VL Supp % of Special Needs Groups |
|----------------------|---------------|--------------|----------------|-------------|-----|------------|-----------|----------------|---------------------------|-----------------------------------|
| Total RWP Clients    | 9,257<br>100% | 4,750<br>51% |                |             |     |            |           |                |                           | 88%                               |
| Latino Males         | 5,476<br>59%  | 2,498<br>46% |                |             |     |            |           |                |                           | 90%                               |
| Black Males          | 1,173<br>13%  | 745<br>64%   |                |             |     |            |           |                |                           | 84%                               |
| Black Females        | 552<br>6%     | 350<br>63%   |                |             |     |            |           |                |                           | 82%                               |
| Haitians             | 897<br>10%    | 504<br>56%   |                |             |     |            |           |                |                           | 87%                               |
| WoCA, Age 15-44      | 508<br>5%     | 311<br>61%   |                |             |     |            |           |                |                           | 81%                               |
| Substance Users      | 611<br>7%     | 395<br>65%   |                |             |     |            |           |                |                           | 88%                               |
| VL Supp % of Clients | 88%           | 85%          | 85%            | 87%         | 95% | 90%        | 88%       | 92%            | 84%                       |                                   |

# Incidence of Co-Occurring Conditions among Special Need Populations

| SPECIAL NEEDS GROUPS | Total N       | <136% FPL    | No Health Ins. | Any AIDS Dx | STI | Hep B or C | Subs. Use | Mental Illness | Homeless/ Unstably Housed | VL Supp % of Special Needs Groups |
|----------------------|---------------|--------------|----------------|-------------|-----|------------|-----------|----------------|---------------------------|-----------------------------------|
| Total RWP Clients    | 9,257<br>100% | 4,750<br>51% | 3,642<br>39%   |             |     |            |           |                |                           | 88%                               |
| Latino Males         | 5,476<br>59%  | 2,498<br>46% | 1,940<br>35%   |             |     |            |           |                |                           | 90%                               |
| Black Males          | 1,173<br>13%  | 745<br>64%   | 567<br>48%     |             |     |            |           |                |                           | 84%                               |
| Black Females        | 552<br>6%     | 350<br>63%   | 228<br>41%     |             |     |            |           |                |                           | 82%                               |
| Haitians             | 897<br>10%    | 504<br>56%   | 404<br>45%     |             |     |            |           |                |                           | 87%                               |
| WoCA, Age 15-44      | 508<br>5%     | 311<br>61%   | 277<br>55%     |             |     |            |           |                |                           | 81%                               |
| Substance Users      | 611<br>7%     | 395<br>65%   | 309<br>51%     |             |     |            |           |                |                           | 88%                               |
| VL Supp % of Clients | 88%           | 85%          | 85%            | 87%         | 95% | 90%        | 88%       | 92%            | 84%                       |                                   |

# Incidence of Co-Occurring Conditions among Special Need Populations

| SPECIAL NEEDS GROUPS | Total N       | <136% FPL    | No Health Ins. | Any AIDS Dx  | STI | Hep B or C | Subs. Use | Mental Illness | Homeless/ Unstably Housed | VL Supp % of Special Needs Groups |
|----------------------|---------------|--------------|----------------|--------------|-----|------------|-----------|----------------|---------------------------|-----------------------------------|
| Total RWP Clients    | 9,257<br>100% | 4,750<br>51% | 3,642<br>39%   | 2,212<br>24% |     |            |           |                |                           | 88%                               |
| Latino Males         | 5,476<br>59%  | 2,498<br>46% | 1,940<br>35%   | 1,062<br>19% |     |            |           |                |                           | 90%                               |
| Black Males          | 1,173<br>13%  | 745<br>64%   | 567<br>48%     | 309<br>26%   |     |            |           |                |                           | 84%                               |
| Black Females        | 552<br>6%     | 350<br>63%   | 228<br>41%     | 210<br>38%   |     |            |           |                |                           | 82%                               |
| Haitians             | 897<br>10%    | 504<br>56%   | 404<br>45%     | 367<br>41%   |     |            |           |                |                           | 87%                               |
| WoCA, Age 15-44      | 508<br>5%     | 311<br>61%   | 277<br>55%     | 94<br>19%    |     |            |           |                |                           | 81%                               |
| Substance Users      | 611<br>7%     | 395<br>65%   | 309<br>51%     | 122<br>20%   |     |            |           |                |                           | 88%                               |
| VL Supp % of Clients | 88%           | 85%          | 85%            | 87%          | 95% | 90%        | 88%       | 92%            | 84%                       |                                   |

# Incidence of Co-Occurring Conditions among Special Need Populations

| SPECIAL NEEDS GROUPS | Total N       | <136% FPL    | No Health Ins. | Any AIDS Dx  | STI          | Hep B or C | Subs. Use | Mental Illness | Homeless/ Unstably Housed | VL Supp % of Special Needs Groups |
|----------------------|---------------|--------------|----------------|--------------|--------------|------------|-----------|----------------|---------------------------|-----------------------------------|
| Total RWP Clients    | 9,257<br>100% | 4,750<br>51% | 3,642<br>39%   | 2,212<br>24% | 2,390<br>26% |            |           |                |                           | 88%                               |
| Latino Males         | 5,476<br>59%  | 2,498<br>46% | 1,940<br>35%   | 1,062<br>19% | 1,770<br>32% |            |           |                |                           | 90%                               |
| Black Males          | 1,173<br>13%  | 745<br>64%   | 567<br>48%     | 309<br>26%   | 354<br>30%   |            |           |                |                           | 84%                               |
| Black Females        | 552<br>6%     | 350<br>63%   | 228<br>41%     | 210<br>38%   | 38<br>7%     |            |           |                |                           | 82%                               |
| Haitians             | 897<br>10%    | 504<br>56%   | 404<br>45%     | 367<br>41%   | 65<br>7%     |            |           |                |                           | 87%                               |
| WoCA, Age 15-44      | 508<br>5%     | 311<br>61%   | 277<br>55%     | 94<br>19%    | 41<br>8%     |            |           |                |                           | 81%                               |
| Substance Users      | 611<br>7%     | 395<br>65%   | 309<br>51%     | 122<br>20%   | 225<br>37%   |            |           |                |                           | 88%                               |
| VL Supp % of Clients | 88%           | 85%          | 85%            | 87%          | 95%          | 90%        | 88%       | 92%            | 84%                       |                                   |

# Incidence of Co-Occurring Conditions among Special Need Populations

| SPECIAL NEEDS GROUPS | Total N       | <136% FPL    | No Health Ins. | Any AIDS Dx  | STI          | Hep B or C | Subs. Use | Mental Illness | Homeless/ Unstably Housed | VL Supp % of Special Needs Groups |
|----------------------|---------------|--------------|----------------|--------------|--------------|------------|-----------|----------------|---------------------------|-----------------------------------|
| Total RWP Clients    | 9,257<br>100% | 4,750<br>51% | 3,642<br>39%   | 2,212<br>24% | 2,390<br>26% | 533<br>6%  |           |                |                           | 88%                               |
| Latino Males         | 5,476<br>59%  | 2,498<br>46% | 1,940<br>35%   | 1,062<br>19% | 1,770<br>32% | 307<br>6%  |           |                |                           | 90%                               |
| Black Males          | 1,173<br>13%  | 745<br>64%   | 567<br>48%     | 309<br>26%   | 354<br>30%   | 93<br>8%   |           |                |                           | 84%                               |
| Black Females        | 552<br>6%     | 350<br>63%   | 228<br>41%     | 210<br>38%   | 38<br>7%     | 19<br>3%   |           |                |                           | 82%                               |
| Haitians             | 897<br>10%    | 504<br>56%   | 404<br>45%     | 367<br>41%   | 65<br>7%     | 51<br>6%   |           |                |                           | 87%                               |
| WoCA, Age 15-44      | 508<br>5%     | 311<br>61%   | 277<br>55%     | 94<br>19%    | 41<br>8%     | 13<br>3%   |           |                |                           | 81%                               |
| Substance Users      | 611<br>7%     | 395<br>65%   | 309<br>51%     | 122<br>20%   | 225<br>37%   | 55<br>9%   |           |                |                           | 88%                               |
| VL Supp % of Clients | 88%           | 85%          | 85%            | 87%          | 95%          | 90%        | 88%       | 92%            | 84%                       |                                   |

# Incidence of Co-Occurring Conditions among Special Need Populations

| SPECIAL NEEDS GROUPS | Total N       | <136% FPL    | No Health Ins. | Any AIDS Dx  | STI          | Hep B or C | Subs. Use   | Mental Illness | Homeless/ Unstably Housed | VL Supp % of Special Needs Groups |
|----------------------|---------------|--------------|----------------|--------------|--------------|------------|-------------|----------------|---------------------------|-----------------------------------|
| Total RWP Clients    | 9,257<br>100% | 4,750<br>51% | 3,642<br>39%   | 2,212<br>24% | 2,390<br>26% | 533<br>6%  | 611<br>7%   |                |                           | 88%                               |
| Latino Males         | 5,476<br>59%  | 2,498<br>46% | 1,940<br>35%   | 1,062<br>19% | 1,770<br>32% | 307<br>6%  | 324<br>6%   |                |                           | 90%                               |
| Black Males          | 1,173<br>13%  | 745<br>64%   | 567<br>48%     | 309<br>26%   | 354<br>30%   | 93<br>8%   | 162<br>14%  |                |                           | 84%                               |
| Black Females        | 552<br>6%     | 350<br>63%   | 228<br>41%     | 210<br>38%   | 38<br>7%     | 19<br>3%   | 33<br>6%    |                |                           | 82%                               |
| Haitians             | 897<br>10%    | 504<br>56%   | 404<br>45%     | 367<br>41%   | 65<br>7%     | 51<br>6%   | 18<br>2%    |                |                           | 87%                               |
| WoCA, Age 15-44      | 508<br>5%     | 311<br>61%   | 277<br>55%     | 94<br>19%    | 41<br>8%     | 13<br>3%   | 34<br>7%    |                |                           | 81%                               |
| Substance Users      | 611<br>7%     | 395<br>65%   | 309<br>51%     | 122<br>20%   | 225<br>37%   | 55<br>9%   | 611<br>100% |                |                           | 88%                               |
| VL Supp % of Clients | 88%           | 85%          | 85%            | 87%          | 95%          | 90%        | 88%         | 92%            | 84%                       |                                   |

# Incidence of Co-Occurring Conditions among Special Need Populations

| SPECIAL NEEDS GROUPS | Total N       | <136% FPL    | No Health Ins. | Any AIDS Dx  | STI          | Hep B or C | Subs. Use   | Mental Illness | Homeless/ Unstably Housed | VL Supp % of Special Needs Groups |
|----------------------|---------------|--------------|----------------|--------------|--------------|------------|-------------|----------------|---------------------------|-----------------------------------|
| Total RWP Clients    | 9,257<br>100% | 4,750<br>51% | 3,642<br>39%   | 2,212<br>24% | 2,390<br>26% | 533<br>6%  | 611<br>7%   | 399<br>4%      |                           | 88%                               |
| Latino Males         | 5,476<br>59%  | 2,498<br>46% | 1,940<br>35%   | 1,062<br>19% | 1,770<br>32% | 307<br>6%  | 324<br>6%   | 155<br>3%      |                           | 90%                               |
| Black Males          | 1,173<br>13%  | 745<br>64%   | 567<br>48%     | 309<br>26%   | 354<br>30%   | 93<br>8%   | 162<br>14%  | 64<br>5%       |                           | 84%                               |
| Black Females        | 552<br>6%     | 350<br>63%   | 228<br>41%     | 210<br>38%   | 38<br>7%     | 19<br>3%   | 33<br>6%    | 42<br>8%       |                           | 82%                               |
| Haitians             | 897<br>10%    | 504<br>56%   | 404<br>45%     | 367<br>41%   | 65<br>7%     | 51<br>6%   | 18<br>2%    | 72<br>8%       |                           | 87%                               |
| WoCA, Age 15-44      | 508<br>5%     | 311<br>61%   | 277<br>55%     | 94<br>19%    | 41<br>8%     | 13<br>3%   | 34<br>7%    | 39<br>8%       |                           | 81%                               |
| Substance Users      | 611<br>7%     | 395<br>65%   | 309<br>51%     | 122<br>20%   | 225<br>37%   | 55<br>9%   | 611<br>100% | 66<br>11%      |                           | 88%                               |
| VL Supp % of Clients | 88%           | 85%          | 85%            | 87%          | 95%          | 90%        | 88%         | 92%            | 84%                       |                                   |

# Incidence of Co-Occurring Conditions among Special Need Populations

| SPECIAL NEEDS GROUPS | Total N       | <136% FPL    | No Health Ins. | Any AIDS Dx  | STI          | Hep B or C | Subs. Use   | Mental Illness | Homeless/ Unstably Housed | VL Supp % of Special Needs Groups |
|----------------------|---------------|--------------|----------------|--------------|--------------|------------|-------------|----------------|---------------------------|-----------------------------------|
| Total RWP Clients    | 9,257<br>100% | 4,750<br>51% | 3,642<br>39%   | 2,212<br>24% | 2,390<br>26% | 533<br>6%  | 611<br>7%   | 399<br>4%      | 649<br>7%                 | 88%                               |
| Latino Males         | 5,476<br>59%  | 2,498<br>46% | 1,940<br>35%   | 1,062<br>19% | 1,770<br>32% | 307<br>6%  | 324<br>6%   | 155<br>3%      | 262<br>5%                 | 90%                               |
| Black Males          | 1,173<br>13%  | 745<br>64%   | 567<br>48%     | 309<br>26%   | 354<br>30%   | 93<br>8%   | 162<br>14%  | 64<br>5%       | 201<br>17%                | 84%                               |
| Black Females        | 552<br>6%     | 350<br>63%   | 228<br>41%     | 210<br>38%   | 38<br>7%     | 19<br>3%   | 33<br>6%    | 42<br>8%       | 48<br>9%                  | 82%                               |
| Haitians             | 897<br>10%    | 504<br>56%   | 404<br>45%     | 367<br>41%   | 65<br>7%     | 51<br>6%   | 18<br>2%    | 72<br>8%       | 47<br>5%                  | 87%                               |
| WoCA, Age 15-44      | 508<br>5%     | 311<br>61%   | 277<br>55%     | 94<br>19%    | 41<br>8%     | 13<br>3%   | 34<br>7%    | 39<br>8%       | 39<br>8%                  | 81%                               |
| Substance Users      | 611<br>7%     | 395<br>65%   | 309<br>51%     | 122<br>20%   | 225<br>37%   | 55<br>9%   | 611<br>100% | 66<br>11%      | 185<br>30%                | 88%                               |
| VL Supp % of Clients | 88%           | 85%          | 85%            | 87%          | 95%          | 90%        | 88%         | 92%            | 84%                       |                                   |

# Summary of Findings

- Special Need Groups (SNG):
  - Latino Males (VL suppression 90%) represented the SNG with the highest VL suppression rate, higher than the overall RWP average.
    - Accounted for 59% of the total RWP population.
  - WoCA (Age 15-44) had the lowest VL suppression rate (81%).
- Co-Occurring Conditions (COC):
  - Clients with Sexually Transmitted Infections (STI) showed the highest VL suppression rate (95%).
  - Clients with Hepatitis B or C and clients with Mental Illness also had higher average VL suppression rates than the RWP average.
  - Clients who were Homeless/Unstably Housed had the lowest VL suppression rate (84%).
  - Clients with Mental Illness, Substance Use, and Homelessness/Unstable Housing COCs showed the highest annual costs per client, \$5,481, \$4,397, and \$4,357 respectively.

*Thank  
You*